

Combined Troop Medical Clinic Outpatient Formulary
Alphabetical Listing by Name

This document is current as of September 6, 2013.
The availability of formulary items is subject to change

ACETAMINOPHEN

Acetaminophen

Outpatient Dosage Forms

Tablet, oral: 325 mg, 500 mg

Acetaminophen and Codeine

Outpatient Dosage Forms

Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (118 mL) [BCF]

Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]

Acetaminophen and Tramadol

Outpatient Dosage Forms

Tablet, oral: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg

Acetic Acid

Outpatient Dosage Forms

Solution, otic [drops]: 2% (60 mL)

Acyclovir (Systemic)

Outpatient Dosage Forms

Capsule, oral: 200 mg [BCF]

Acyclovir (Topical)

Outpatient Dosage Forms

Ointment, topical:

Zovirax®: 5% (30 g)

Albuterol

Outpatient Dosage Forms

Aerosol, for oral inhalation:

Ventolin® HFA: 90 mcg/inhalation (18 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]

Solution, for nebulization: 0.083% [2.5 mg/3 mL] (60s) [BCF]

Alendronate

Outpatient Dosage Forms

Tablet, oral: 35 mg [BCF]

Alfuzosin

Outpatient Dosage Forms

Tablet, extended release, oral, as hydrochloride:

Uroxatral®: 10 mg [BCF]

Allopurinol

Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

ALPRAZolam

Outpatient Dosage Forms

Tablet, oral: 0.25 mg, 0.5 mg, 1 mg

Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone

Outpatient Dosage Forms

Liquid, oral:

Mylanta® Classic Regular Strength: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL) [original and mint flavors]

Suspension, oral:

Mi-Acid: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL)

Amitriptyline

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 25 mg [BCF], 50 mg [BCF]

AmLODIPine

Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Amlodipine and Benazepril

Outpatient Dosage Forms

Capsule, oral:

Lotrel®: 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]

Lotrel®: 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]

Lotrel®: 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]

Amoxicillin

Outpatient Dosage Forms

Capsule, oral: 500 mg [BCF]

Amoxicillin and Clavulanate

Outpatient Dosage Forms

Tablet, oral:

500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]

875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]

Augmentin®: 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [scored; contains potassium 0.63 mEq/tablet] [BCF]

Tablet, chewable, oral: Amoxicillin 200 mg and clavulanate potassium 28.5 mg [contains phenylalanine]

Antipyrine and Benzocaine

Outpatient Dosage Forms

Solution, otic [drops]: Antipyrine 5.4% and benzocaine 1.4% (10 mL) [BCF]

ARIPiprazole

Outpatient Dosage Forms

Tablet, oral:

Abilify®: 5 mg, 20 mg

Artificial Tears

Outpatient Dosage Forms

Solution, ophthalmic:

Ointment, ophthalmic:

Tears Again®: 3.5 g

Ascorbic Acid

Outpatient Dosage Forms

Tablet, oral: 500 mg

Aspirin

Outpatient Dosage Forms

Tablet, chewable, oral: 81 mg

Atenolol

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

AtoMOXetine

Outpatient Dosage Forms

Capsule, oral:

Strattera®: 10 mg, 25 mg, 60 mg

AtorvaSTATin

Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

AzaTHIOprine

Outpatient Dosage Forms

Tablet, oral: 50 mg

Azithromycin (Systemic)

Outpatient Dosage Forms

Tablet, oral, as dihydrate [strength expressed as base]:

Zithromax® TRI-PAK™: 500 mg [contains sodium 1.8 mg/tablet] [BCF]

Tablet, oral, as monohydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

Bacitracin

Outpatient Dosage Forms

Ointment, topical, as zinc [strength expressed as base]: 500 units/g (30 g)

Bacitracin, Neomycin, and Polymyxin B

Outpatient Dosage Forms

Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]

Benzocaine

Outpatient Dosage Forms

Lozenge, oral:

Cepacol® Sore Throat Max Numb: 15 mg (16s) [sugar free; contains cetylpyridinium, menthol]

Benzonatate

Outpatient Dosage Forms

Capsule, softgel, oral: 100 mg

Benzoyl Peroxide

Outpatient Dosage Forms

Liquid, topical [wash]: 5% (148 g)

Liquid, topical [wash/water based]:

Desquam-X® 5: 5% (140 g)

Betamethasone

Outpatient Dosage Forms

Cream, topical, as valerate [strength expressed as base]: 0.1% (15 g)

Betamethasone and Clotrimazole

Outpatient Dosage Forms

Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g)

Bismuth

Outpatient Dosage Forms

Caplet, oral, as subsalicylate:

Pepto-Bismol®: 262 mg [sugar free; contains sodium 2 mg/caplet]

Budesonide and Formoterol**Outpatient Dosage Forms**

Aerosol, for oral inhalation:

Symbicort®: 80/4.5: Budesonide 80 mcg and formoterol fumarate dehydrate 4.5 mcg per actuation (10.2 g); 160/4.5: Budesonide 160 mcg and formoterol fumarate dehydrate 4.5 mcg per actuation (10.2 g) [120 metered inhalations]

BuPROPion**Outpatient Dosage Forms**

Tablet, extended release, oral, as hydrochloride: 100 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Wellbutrin XL®] [BCF]

Budeprion SR®: 100 mg [contains tartrazine; generic for Wellbutrin SR®] [BCF]

BusPIRone**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg [BCF]

Butalbital, Acetaminophen, and Caffeine**Outpatient Dosage Forms**

Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

Calamine**Outpatient Dosage Forms**

Suspension, topical: 8% (118 mL)

Calcium and Vitamin D**Outpatient Dosage Forms**

Tablet, oral: Calcium 500 mg and vitamin D 200 units

Capsaicin**Outpatient Dosage Forms**

Cream, topical: 0.025% (60 g)

Carbamide Peroxide**Outpatient Dosage Forms**

Solution, otic [drops]: 6.5% (15 mL)

Carboxymethylcellulose**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops, preservative free]: 1%

Refresh Plus®: 0.5% (0.4 mL)

Carisoprodol**Outpatient Dosage Forms**

Tablet, oral: 350 mg

Carvedilol**Outpatient Dosage Forms**

Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 25 mg [BCF]

Cephalexin**Outpatient Dosage Forms**

Capsule, oral: 250 mg [BCF], 500 mg [BCF]

Cetirizine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg

Chlorhexidine Gluconate**Outpatient Dosage Forms**

Liquid, oral [rinse]: 0.12% (480 mL) [BCF]

Liquid, topical [surgical scrub]:

Betasept®: 4% (118 mL) [contains isopropyl alcohol 4%]

Ciprofloxacin and Dexamethasone**Outpatient Dosage Forms**

Suspension, otic:

Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]

Ciprofloxacin (Systemic)**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride [strength expressed as base]: 500 mg [BCF]

Citalopram**Outpatient Dosage Forms**

Tablet, oral: 20 mg [BCF], 40 mg [BCF]

Clarithromycin**Outpatient Dosage Forms**

Tablet, oral:

Biaxin®: 500 mg

Clindamycin and Benzoyl Peroxide**Outpatient Dosage Forms**

Gel, topical:

Duac®: Clindamycin phosphate 1.2% and benzoyl peroxide 5% (45 g)

Clindamycin (Systemic)**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF]

Clindamycin (Topical)**Outpatient Dosage Forms**

Solution, topical, as phosphate [strength expressed as base]: 1% (60 mL) [BCF]

Clobetasol**Outpatient Dosage Forms**

Cream, topical, as propionate: 0.05% (30 g)

Ointment, topical, as propionate: 0.05% (30 g)

Clonazepam**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg [BCF], 1 mg

CloNIDine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 0.1 mg [BCF]

Clotrimazole (Topical)**Outpatient Dosage Forms**

Cream, topical: 1% (30 g)

Cream, vaginal: 1% (45 g)

Solution, topical: 1% (30 mL) [BCF]

Colchicine**Outpatient Dosage Forms**

Tablet, oral:

Colcrys®: 0.6 mg [scored]

Cyclobenzaprine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg [BCF]

Cyproheptadine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 4 mg [BCF]

Desonide**Outpatient Dosage Forms**

Cream, topical: 0.05% (15 g)

Ointment, topical: 0.05% (15 g)

Dextroamphetamine and Amphetamine**Outpatient Dosage Forms**

Capsule, extended release, oral:

Adderall XR®: 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]

Diabetic Supplies**Outpatient Dosage Forms**

Test Strips/Kit:

Precision Xtra® Blood Glucose Test Strips [BCF]

Diazepam**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF]

Dibucaine**Outpatient Dosage Forms**

Ointment, topical: 1% [10 mg/g] (30 g)

Diclofenac (Systemic)**Outpatient Dosage Forms**

Tablet, delayed release, enteric coated, oral, as sodium: 50 mg

Diclofenac (Topical)**Outpatient Dosage Forms**

Gel, topical, as sodium:

Voltaren® Gel: 1% (100 g) [contains isopropyl alcohol]

Dicyclomine**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 10 mg [BCF]

Diltiazem**Outpatient Dosage Forms**

Capsule, extended release, oral, as hydrochloride [once-daily dosing]: 240 mg [BCF]

DiphenhydrAMINE (Systemic)**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 25 mg

Banophen™: 25 mg

DOCUSATE

Docusate

Outpatient Dosage Forms

Capsule, oral, as sodium:
Doc-Q-Lace: 100 mg
Capsule, softgel, oral, as sodium:
Dok™: 100 mg

Doxepin (Systemic)

Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Doxycycline

Outpatient Dosage Forms

Tablet, oral, as hyclate [strength expressed as base]: 100 mg [BCF]

Emollients

Outpatient Dosage Forms

Cream, topical:
Moisturel®: 453 g
Lotion, topical:
Cetaphil® Gentle Cleanser External Lotion: 473 mL
Ointment, topical:
Hydrophor: 454 g

EPINEPHrine (Systemic, Oral Inhalation)

Outpatient Dosage Forms

Injection, solution:
EpiPen 2-Pak®: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection]
Twinject®: 0.3 mg/0.3 mL (1.1 mL) [BCF] [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.3 mg per injection]

Erythromycin (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic: 0.5% (3.5 g) [BCF]

Esomeprazole

Outpatient Dosage Forms

Capsule, delayed release, oral, as magnesium [strength expressed as base]:
NexlUM®: 20 mg [BCF], 40 mg [BCF]

Estrogens (Conjugated/Equine, Systemic)

Outpatient Dosage Forms

Tablet, oral:
Premarin®: 0.3 mg [BCF], 0.625 mg [BCF]

Ethinyl Estradiol and Desogestrel

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
Ortho-Cept® 28: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 light orange tablets and 7 green inactive tablets] (28s)

Ethinyl Estradiol and Drospirenone

Outpatient Dosage Forms

Tablet, oral:
Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF]
Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF]

Ethinyl Estradiol and Ethynodiol Diacetate

Outpatient Dosage Forms

Tablet, oral:
Zovia® 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets]
Zovia® 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]

Ethinyl Estradiol and Etonogestrel

Outpatient Dosage Forms

Ring, vaginal:
NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]

Ethinyl Estradiol and Levonorgestrel

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
Levora®: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 white tablets and 7 peach inactive tablets] [BCF]

Ethinyl Estradiol and Norelgestromin

Outpatient Dosage Forms

Patch, transdermal:
Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day] (1s, 3s)

Ethinyl Estradiol and Norethindrone

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
Microgestin® 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [white tablets] (21s)
Microgestin® 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [green tablets] (21s)
Tablet, oral [biphasic formulation]:
Necon® 7/7/7, Ortho-Novum® 7/7/7:
Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets]
Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets]
Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets]
Day 22-28: 7 green inactive tablets (28s)
Ortho-Novum® 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 peach tablets and 7 green inactive tablets] [BCF]

Ethinyl Estradiol and Norgestimate

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
MonoNessa®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF]
Tablet, oral [triphasic formulation]:
Ortho Tri-Cyclen® Lo [BCF]:
Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]
Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]
Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]
Day 22-28: 7 dark green inactive tablets
TriNessa® [BCF]:
Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets]
Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets]
Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets]
Day 22-28: 7 green inactive tablets

Ethinyl Estradiol and Norgestrel

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:
Low-Ogestrel®: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets] (28s)
Ogestrel®: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg [21 white tablets and 7 peach inactive tablets] (28s)

Ezetimibe and Simvastatin

Outpatient Dosage Forms

Tablet, oral:
Vytorin®: 10/20: Ezetimibe 10 mg and simvastatin 20 mg, 10/40: Ezetimibe 10 mg and simvastatin 40 mg, 10/80: Ezetimibe 10 mg and simvastatin 80 mg

Fenofibrate

Outpatient Dosage Forms

Tablet, oral:
TriCor®: 145 mg [BCF] [contains soybean lecithin]

Ferrous Sulfate

Outpatient Dosage Forms

Tablet, oral: 325 mg [elemental iron 65 mg]

Fexofenadine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 60 mg, 180 mg

Fluconazole

Outpatient Dosage Forms

Tablet, oral: 150 mg [BCF]

Fluocinonide

Outpatient Dosage Forms

Cream, anhydrous, emollient, topical: 0.05% (60 g) [BCF]
Gel, topical: 0.05% (15 g)
Ointment, topical: 0.05% (15 g)

Fluoride

Outpatient Dosage Forms

Cream, oral, as sodium [toothpaste]:
PrevDent® 5000 Plus®: 1.1% (51 g) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]

FLUoxetine

Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 20 mg [BCF]

Fluticasone and Salmeterol**Outpatient Dosage Forms**

Powder, for oral inhalation:

Advair Diskus®: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]

Advair Diskus®: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]

Advair Diskus®: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]

Fluticasone (Nasal)**Outpatient Dosage Forms**

Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g) [BCF]

Fluticasone (Oral Inhalation)**Outpatient Dosage Forms**

Aerosol, for oral inhalation, as propionate:

Flovent® HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

Flovent® HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

Folic Acid**Outpatient Dosage Forms**

Tablet, oral: 1 mg [BCF]

Furosemide**Outpatient Dosage Forms**

Tablet, oral: 40 mg [BCF]

Gabapentin**Outpatient Dosage Forms**

Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Tablet, oral: 600 mg [BCF], 800 mg [BCF]

Gatifloxacin**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

Zymaxid™: 0.5% (2.5 mL) [contains benzalkonium chloride]

Gemfibrozil**Outpatient Dosage Forms**

Tablet, oral: 600 mg [BCF]

Gentamicin (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic [drops]: 0.3% (5 mL, 15 mL) [BCF]

GlipiZIDE**Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF]

Tablet, extended release, oral: 2.5 mg

GlyBURIDE**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF]

Guaifenesin and Dextromethorphan**Outpatient Dosage Forms**

Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL)

Q-Tussin DM: 100/10: guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL) [ethanol free; contains sodium benzoate; cherry flavor]

Guaifenesin and Pseudoephedrine**Outpatient Dosage Forms**

Tablet, extended release, oral:

Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg

Guaifenesin, Pseudoephedrine, and Codeine**Outpatient Dosage Forms**

Syrup, oral: Guaifenesin 100 mg, pseudoephedrine hydrochloride 30 mg, and codeine phosphate 10 mg per 5 mL (118 mL)

Hydrochlorothiazide**Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF]

Hydrochlorothiazide and Triamterene**Outpatient Dosage Forms**

Tablet, oral: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]

Hydrocodone and Acetaminophen**Outpatient Dosage Forms**

Tablet, oral:

Hydrocodone bitartrate 5 mg and acetaminophen 325 mg

Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg

Hydrocodone bitartrate 10 mg and acetaminophen 325 mg

Hydrocortisone (Topical)**Outpatient Dosage Forms**

Cream, topical, as base: 0.5% (28.4 g); 1% (30 g)

Suppository, rectal, as acetate: 25 mg (12s) [BCF]

Anucort-HC®: 25 mg (12s) [BCF]

Hydroxychloroquine**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]

HydrOXYzine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg [BCF]

Ibuprofen**Outpatient Dosage Forms**

Tablet, oral: 200 mg, 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]

Imiquimod**Outpatient Dosage Forms**

Cream, topical: 5% (24s) [0.25 g/packet]

Indomethacin**Outpatient Dosage Forms**

Capsule, oral: 50 mg [BCF]

Inhalation Devices**Outpatient Dosage Forms**

Holding chamber with mask:

AeroChamber® Plus: Medium, large

Ipratropium and Albuterol**Outpatient Dosage Forms**

Aerosol, for oral inhalation:

Combivent®: Ipratropium bromide 18 mcg and albuterol sulfate 103 mcg per inhalation (14.7 g) [200 metered actuations] [BCF]

Ipratropium (Oral Inhalation)**Outpatient Dosage Forms**

Aerosol, for oral inhalation, as bromide:

Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]

Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (25s, 30s, 60s) [BCF]

Isoniazid**Outpatient Dosage Forms**

Tablet, oral: 300 mg [BCF]

Ketoconazole (Topical)**Outpatient Dosage Forms**

Cream, topical: 2% (30 g)

Shampoo, topical: 2% (120 mL)

Lactic Acid and Ammonium Hydroxide**Outpatient Dosage Forms**

Lotion, topical:

AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)

Levalbuterol**Outpatient Dosage Forms**

Aerosol, for oral inhalation, as tartrate [strength expressed as base]:

Xopenex HFA™: 45 mcg/actuation (15 g) [chlorofluorocarbon free; 200 actuations]

Levofloxacin (Systemic)**Outpatient Dosage Forms**

Tablet, oral: 750 mg [BCF]

Levonorgestrel**Outpatient Dosage Forms**

Tablet, oral: 0.75 mg [BCF]

Plan B® One Step: 1.5 mg

Levothyroxine**Outpatient Dosage Forms**

Tablet, oral, as sodium:

Synthroid®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 150 mcg [BCF]

Lidocaine (Topical)**Outpatient Dosage Forms**

Patch, topical:

Lidoderm®: 5% (30s)

Solution, viscous, oral topical, as hydrochloride: 2% [20 mg/mL] (100 mL)

Lisinopril**Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

LISINAPRIL AND HYDROCHLOROTHIAZIDE

Lisinopril and Hydrochlorothiazide

Outpatient Dosage Forms

Tablet, oral:

10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]

20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]

20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]

Loperamide

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 2 mg [BCF]

Anti-Diarrheal: 2 mg

Loratadine

Outpatient Dosage Forms

Tablet, oral: 10 mg

LORazepam

Outpatient Dosage Forms

Tablet, oral: 0.5 mg, 1 mg

Losartan

Outpatient Dosage Forms

Tablet, oral, as potassium: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Losartan and Hydrochlorothiazide

Outpatient Dosage Forms

Tablet, oral:

50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [BCF]

100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]

Magnesium Citrate

Outpatient Dosage Forms

Solution, oral: 290 mg/5 mL (296 mL)

Magnesium Oxide

Outpatient Dosage Forms

Tablet, oral: 400 mg [equivalent to elemental magnesium 240 mg]

MedroxyPROGESTERone

Outpatient Dosage Forms

Injection, suspension, as acetate: 150 mg/mL (1 mL)

Tablet, oral, as acetate: 2.5 mg [BCF]

Meloxicam

Outpatient Dosage Forms

Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]

MetFORMIN

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 500 mg [BCF], 1000 mg [BCF]

Methocarbamol

Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF], 750 mg

MethylPREDNISolone

Outpatient Dosage Forms

Tablet, oral [dose-pack]:

Medrol® Dosepak™: 4 mg (21s) [scored; 21s]

Methyl Salicylate and Menthol

Outpatient Dosage Forms

Ointment, topical:

GRX Analgesic Balm: (28 g)

Metoprolol

Outpatient Dosage Forms

Tablet, extended release, oral, as succinate [expressed as mg equivalent to tartrate]: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

MetroNIDAZOLE (Systemic)

Outpatient Dosage Forms

Tablet, oral: 250 mg [BCF]

MetroNIDAZOLE (Topical)

Outpatient Dosage Forms

Gel, vaginal: 0.75% (70 g) [BCF]

Lotion, topical: 0.75% (59 mL)

Minocycline

Outpatient Dosage Forms

Capsule, oral: 100 mg

Mirtazapine

Outpatient Dosage Forms

Tablet, oral: 15 mg, 30 mg

Mometasone (Nasal)

Outpatient Dosage Forms

Suspension, intranasal, as furoate [spray]:

Nasonex®: 50 mcg/spray (17 g) [contains benzalkonium chloride; delivers 120 sprays]

Montelukast

Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF]

Singulair®: 10 mg [contains lactose 89.3 mg/tablet] [BCF]

Moxifloxacin (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Vigamox®: 0.5% (3 mL)

Mupirocin

Outpatient Dosage Forms

Ointment, topical: 2% (22 g) [BCF]

Naftifine

Outpatient Dosage Forms

Cream, topical, as hydrochloride:

Naftin®: 1% (60 g) [contains benzyl alcohol]

Naproxen

Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF]

Neomycin, Polymyxin B, and Dexamethasone

Outpatient Dosage Forms

Suspension, ophthalmic [drops]: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)

Neomycin, Polymyxin B, and Hydrocortisone

Outpatient Dosage Forms

Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]

Cortisporin®: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [contains potassium metabisulfite]

Niacin

Outpatient Dosage Forms

Tablet, extended release, oral:

Niaspan®: 500 mg [BCF]

Nicotine

Outpatient Dosage Forms

Patch, transdermal: 7 mg/24 hours (7s)

NicoDerm® CQ®: 14 mg/24 hours (14s) [contains metal; step 2; clear patch]

NicoDerm® CQ®: 21 mg/24 hours (14s) [contains metal; step 1; clear patch]

NIFEdipine

Outpatient Dosage Forms

Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF]

Nitrofurantoin

Outpatient Dosage Forms

Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF]

Norethindrone

Outpatient Dosage Forms

Tablet, oral:

Nor-QD®: 0.35 mg [BCF]

Nystatin and Triamcinolone

Outpatient Dosage Forms

Ointment, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (30 g)

Nystatin (Topical)

Outpatient Dosage Forms

Cream, topical: 100,000 units/g (15 g) [BCF]

Ofloxacin (Otic)

Outpatient Dosage Forms

Solution, otic [drops]: 0.3% (5 mL)

Olopatadine (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Pataday™: 0.2% (2.5 mL) [contains benzalkonium chloride]

Patanol®: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]

Omeprazole

Outpatient Dosage Forms

Capsule, delayed release, oral: 20 mg [BCF]

Ondansetron**Outpatient Dosage Forms**

Tablet, oral: 4 mg
Tablet, orally disintegrating, oral: 4 mg

OxyCODONE**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 5 mg
Tablet, controlled release, oral, as hydrochloride:
OxyCONTIN®: 10 mg, 15 mg, 20 mg

Oxycodone and Acetaminophen**Outpatient Dosage Forms**

Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]
Endocet®: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [scored] [BCF]

Oxymetazoline (Nasal)**Outpatient Dosage Forms**

Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)

PARoxetine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride [strength expressed as base]: 10 mg

Penicillin V Potassium**Outpatient Dosage Forms**

Tablet, oral: 250 mg [BCF]

Phenazopyridine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 100 mg [BCF]

Phenol**Outpatient Dosage Forms**

Solution, oral [spray]:
Chloraseptic® Sore Throat Spray: 1.4% (20 mL, 177 mL) [ethanol free, gluten free, sugar free; cherry flavor]

Phenytoin**Outpatient Dosage Forms**

Capsule, extended release, oral, as sodium:
Dilantin®: 100 mg [BCF]

Pioglitazone**Outpatient Dosage Forms**

Tablet, oral:
Actos®: 45 mg

Polyethylene Glycol 3350**Outpatient Dosage Forms**

Powder for solution, oral: 17 g/dose (527 g)

Pramoxine and Hydrocortisone**Outpatient Dosage Forms**

Aerosol, foam, rectal:
Proctofoam® HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)

Pravastatin**Outpatient Dosage Forms**

Tablet, oral, as sodium: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Prazosin**Outpatient Dosage Forms**

Capsule, oral: 2 mg, 5 mg

PredniSONE**Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF], 20 mg [BCF]

Prenatal Vitamins**Outpatient Dosage Forms**

Content varies depending on product used.
Tablet, oral:
Prenatal Plus: 100s

Primaquine**Outpatient Dosage Forms**

Tablet, oral, as phosphate: 26.3 mg [15 mg base]

Promethazine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg [BCF]

Propranolol**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg

Pseudoephedrine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:
SudoGest: 30 mg

QUetiapine**Outpatient Dosage Forms**

Tablet, oral:
SEROquel®: 25 mg [BCF]

Ranitidine**Outpatient Dosage Forms**

Tablet, oral: 150 mg [BCF]

Rifampin**Outpatient Dosage Forms**

Capsule, oral: 300 mg [BCF]

RisperiDONE**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg [BCF], 1 mg [BCF]

Rizatriptan**Outpatient Dosage Forms**

Tablet, oral:
Maxalt®: 5 mg [BCF], 10 mg [BCF]
Tablet, orally disintegrating:
Maxalt-MLT®: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF]
Maxalt-MLT®: 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]

Salicylic Acid**Outpatient Dosage Forms**

Liquid, topical:
DuoFilm®: 17% (9.8 mL) [contains ethanol]
Fung-O®: 17% (15 mL) [contains ethanol 2%]
Salactic®: 17% (15 mL) [contains isopropyl alcohol]
Tinamed® Corn and Callus Remover: 17% (15 mL)
Tinamed® Wart Remover: 17% (15 mL)

Salmeterol**Outpatient Dosage Forms**

Powder, for oral inhalation:
Serevent® Diskus®: 50 mcg (28s, 60s) [contains lactose] [BCF]

Sertraline**Outpatient Dosage Forms**

Tablet, oral: 50 mg [BCF], 100 mg [BCF]

Sildenafil**Outpatient Dosage Forms**

Tablet, oral:
Viagra®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Silver Sulfadiazine**Outpatient Dosage Forms**

Cream, topical: 1% (25 g) [BCF]

Simvastatin**Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg

Sinus Rinse**SitaGLIPTin****Outpatient Dosage Forms**

Tablet, oral:
Januvia®: 50 mg [BCF], 100 mg [BCF]

Sitagliptin and Metformin**Outpatient Dosage Forms**

Tablet, oral:
Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]

Sodium Chloride**Outpatient Dosage Forms**

Solution, intranasal [spray]:
Deep Sea: 0.65% (44 mL) [contains benzalkonium chloride, benzyl alcohol]

Sucralfate**Outpatient Dosage Forms**

Tablet, oral: 1 g

Sulfamethoxazole and Trimethoprim**Outpatient Dosage Forms**

Tablet, double strength, oral: Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]

SUMATRIPTAN

SUMatriptan

Outpatient Dosage Forms

Tablet, oral, as succinate [strength expressed as base]: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Tacrolimus (Topical)

Outpatient Dosage Forms

Ointment, topical:
Protopic®: 0.1% (30 g)

Tamsulosin

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 0.4 mg [BCF]

Telmisartan

Outpatient Dosage Forms

Tablet, oral:
Micardis®: 20 mg [BCF], 40 mg [scored] [BCF], 80 mg [scored] [BCF]

Telmisartan and Hydrochlorothiazide

Outpatient Dosage Forms

Tablet, oral:
Micardis® HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg [BCF]
Micardis® HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]
Micardis® HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg [BCF]

Temazepam

Outpatient Dosage Forms

Capsule, oral: 15 mg [BCF], 30 mg [BCF]

Terazosin

Outpatient Dosage Forms

Capsule, oral: 2 mg [BCF]

Terbinafine (Systemic)

Outpatient Dosage Forms

Tablet, oral: 250 mg

Terconazole

Outpatient Dosage Forms

Suppository, vaginal: 80 mg (3s)

Testosterone

Outpatient Dosage Forms

Gel, topical:
Fortesta™: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF]

Tetrahydrozoline (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as hydrochloride [drops]: 0.05% (15 mL); 0.5% (15 mL)

Tiotropium

Outpatient Dosage Forms

Powder, for oral inhalation:
Spiriva® HandiHaler®: 18 mcg/capsule (30s) [contains lactose]

Tobramycin and Dexamethasone

Outpatient Dosage Forms

Suspension, ophthalmic: Tobramycin 0.3% and dexamethasone 0.1% (2.5 mL, 5 mL, 10 mL)

Tolnaftate

Outpatient Dosage Forms

Powder, topical: 1% (45 g)

Tolterodine

Outpatient Dosage Forms

Capsule, extended release, oral, as tartrate:
Detrol® LA: 4 mg [BCF]

TraZODone

Outpatient Dosage Forms

Tablet, oral: 100 mg
Tablet, oral, as hydrochloride: 50 mg [BCF]

Tretinoin (Topical)

Outpatient Dosage Forms

Cream, topical: 0.025% (20 g, 45 g) [BCF]
Gel, topical [microsphere gel]:
Retin-A Micro®: 0.04% (20 g)

Triamcinolone (Topical)

Outpatient Dosage Forms

Cream, topical, as acetonide: 0.1% (30 g) [BCF]
Ointment, topical, as acetonide: 0.1% (15 g)

ValACYclovir

Outpatient Dosage Forms

Caplet, oral:
Valtrex®: 500 mg
Valtrex®: 1 g [scored]
Tablet, oral: 500 mg

Valsartan

Outpatient Dosage Forms

Tablet, oral:
Diovan®: 160 mg [BCF]

Venlafaxine

Outpatient Dosage Forms

Capsule, extended release, oral: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]
Effexor XR®: 150 mg [BCF]

Vitamin B Complex Combinations

Outpatient Dosage Forms

Content varies depending on product used.
Tablet, oral:
Superplex-T: 100s

White Petrolatum

Outpatient Dosage Forms

Gel, 28.35 g

Zinc Oxide

Outpatient Dosage Forms

Ointment, topical: 20% (30 g)

ZOLMitriptan

Outpatient Dosage Forms

Tablet, oral:
Zomig®: 5 mg
Tablet, orally disintegrating, oral:
Zomig-ZMT®: 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor]
Zomig-ZMT®: 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]

Zolpidem

Outpatient Dosage Forms

Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF]

Therapeutic Category Index

ACNE PRODUCTS

Acne Products	
Benzoyl Peroxide	2
Clindamycin and Benzoyl Peroxide	3
Salicylic Acid	7
Tretinoin (Topical)	8
Adrenergic Agonist Agent	
Oxymetazoline (Nasal)	7
Tetrahydrozoline (Ophthalmic)	8
Alpha₁ Blocker	
Alfuzosin	2
Prazosin	7
Tamsulosin	8
Terazosin	8
Alpha₂-Adrenergic Agonist	
Clonidine	3
Alpha/Beta Agonist	
EPINEPHrine (Systemic, Oral Inhalation)	4
Guaifenesin and Pseudoephedrine	5
Pseudoephedrine	7
Amebicide	
MetroNIDAZOLE (Systemic)	6
Aminoquinoline (Antimalarial)	
Hydroxychloroquine	5
Primaquine	7
Analgesic Combination (Opioid)	
Acetaminophen and Codeine	2
Acetaminophen and Tramadol	2
Hydrocodone and Acetaminophen	5
Oxycodone and Acetaminophen	7
Analgesic, Miscellaneous	
Acetaminophen	2
Acetaminophen and Tramadol	2
Analgesic, Opioid	
Oxycodone	7
Analgesic, Topical	
Capsaicin	3
Lidocaine (Topical)	5
Methyl Salicylate and Menthol	6
Analgesic, Urinary	
Phenazopyridine	7
Androgen	
Testosterone	8
Anesthetic/Corticosteroid	
Pramoxine and Hydrocortisone	7
Anesthetic, Topical	
Phenol	7
Angiotensin II Receptor Blocker	
Losartan	6
Losartan and Hydrochlorothiazide	6
Telmisartan	8
Telmisartan and Hydrochlorothiazide	8
Valsartan	8
Angiotensin-Converting Enzyme (ACE) Inhibitor	
Amlodipine and Benazepril	2
Lisinopril	5
Lisinopril and Hydrochlorothiazide	6
Antacid	
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	2
Antianginal Agent	
Amlodipine	2
Amlodipine and Benazepril	2
Atenolol	2
Diltiazem	3
Metoprolol	6
Nifedipine	6
Propranolol	7
Antianxiety Agent, Miscellaneous	
Buspirone	3
Antiarrhythmic Agent, Class II	
Propranolol	7
Antiarrhythmic Agent, Class IV	
Diltiazem	3
Antibiotic, Aminoglycoside	
Gentamicin (Ophthalmic)	5
Antibiotic, Cephalosporin (First Generation)	
Cephalexin	3
Antibiotic/Corticosteroid, Ophthalmic	
Neomycin, Polymyxin B, and Dexamethasone	6
Tobramycin and Dexamethasone	8
Antibiotic/Corticosteroid, Otic	
Ciprofloxacin and Dexamethasone	3
Neomycin, Polymyxin B, and Hydrocortisone	6
Antibiotic, Lincosamide	
Clindamycin (Systemic)	3
Clindamycin (Topical)	3
Antibiotic, Macrolide	
Azithromycin (Systemic)	2
Clarithromycin	3
Erythromycin (Ophthalmic)	4
Antibiotic, Miscellaneous	
Bacitracin	2
MetroNIDAZOLE (Systemic)	6
Nitrofurantoin	6
Rifampin	7
Sulfamethoxazole and Trimethoprim	7
Antibiotic, Ophthalmic	
Bacitracin	2
Bacitracin, Neomycin, and Polymyxin B	2
Erythromycin (Ophthalmic)	4
Gatifloxacin	5
Gentamicin (Ophthalmic)	5
Moxifloxacin (Ophthalmic)	6
Neomycin, Polymyxin B, and Hydrocortisone	6
Antibiotic, Oral Rinse	
Chlorhexidine Gluconate	3
Antibiotic, Otic	
Ciprofloxacin and Dexamethasone	3
Neomycin, Polymyxin B, and Hydrocortisone	6
Ofloxacin (Otic)	6
Antibiotic, Penicillin	
Amoxicillin	2
Amoxicillin and Clavulanate	2
Penicillin V Potassium	7
Antibiotic, Quinolone	
Ciprofloxacin (Systemic)	3
Gatifloxacin	5
Levofloxacin (Systemic)	5
Moxifloxacin (Ophthalmic)	6
Ofloxacin (Otic)	6
Antibiotic, Sulfonamide Derivative	
Sulfamethoxazole and Trimethoprim	7
Antibiotic, Tetracycline Derivative	
Doxycycline	4
Minocycline	6
Antibiotic, Topical	
Bacitracin	2
Bacitracin, Neomycin, and Polymyxin B	2
Chlorhexidine Gluconate	3
MetroNIDAZOLE (Topical)	6
Mupirocin	6
Neomycin, Polymyxin B, and Hydrocortisone	6
Silver Sulfadiazine	7
Anticholinergic Agent	
Dicyclomine	3
Ipratropium and Albuterol	5
Ipratropium (Oral Inhalation)	5
Tiotropium	8
Tolterodine	8
Anticholinergic Agent, Long-Acting	
Tiotropium	8
Anticonvulsant, Hydantoin	
Phenytoin	7
Anticonvulsant, Miscellaneous	
Gabapentin	5
Antidepressant, Alpha-2 Antagonist	
Mirtazapine	6

Antidepressant, Dopamine-Reuptake Inhibitor		SUMatriptan	8
BuPROPion	3	ZOLMiptan	8
Antidepressant, Selective Serotonin Reuptake Inhibitor		Antiplatelet Agent	
Citalopram	3	Aspirin	2
FLUoxetine	4	Antiprotozoal, Nitroimidazole	
PARoxetine	7	MetroNIDAZOLE (Systemic)	6
Sertraline	7	Antipsychotic Agent, Atypical	
Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor		ARIPrazole	2
Venlafaxine	8	QUETiapine	7
Antidepressant, Serotonin Reuptake Inhibitor/Antagonist		RisperiDONE	7
TraZODone	8	Antitubercular Agent	
Antidepressant, Tricyclic (Tertiary Amine)		Isoniazid	5
Amitriptyline	2	Rifampin	7
Doxepin (Systemic)	4	Antitussive	
Antidiabetic Agent, Biguanide		Benzonatale	2
MetFORMIN	6	Guaifenesin and Dextromethorphan	5
Sitagliptin and Metformin	7	Antitussive/Decongestant/Expectorant	
Antidiabetic Agent, Dipeptidyl Peptidase IV (DPP-IV) Inhibitor		Guaifenesin, Pseudoephedrine, and Codeine	5
SitaGLIPtin	7	Antiviral Agent	
Sitagliptin and Metformin	7	Acyclovir (Systemic)	2
Antidiabetic Agent, Sulfonylurea		ValACYclovir	8
GlipiZIDE	5	Antiviral Agent, Oral	
GlyBURIDE	5	ValACYclovir	8
Antidiabetic Agent, Thiazolidinedione		Antiviral Agent, Topical	
Pioglitazone	7	Acyclovir (Topical)	2
Antidiarrheal		Barbiturate	
Bismuth	2	Butalbital, Acetaminophen, and Caffeine	3
Loperamide	6	Benzodiazepine	
Antiemetic		ALPRAZolam	2
HydrOXYzine	5	ClonazePAM	3
Ondansetron	7	Diazepam	3
Promethazine	7	LORazepam	6
Antiflatulent		Temazepam	8
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	2	Beta₂-Adrenergic Agonist	
Antifungal Agent, Oral		Ipratropium and Albuterol	5
Fluconazole	4	Beta₂-Adrenergic Agonist, Long-Acting	
Terbinafine (Systemic)	8	Budesonide and Formoterol	3
Antifungal Agent, Parenteral		Fluticasone and Salmeterol	5
Fluconazole	4	Salmeterol	7
Antifungal Agent, Topical		Beta₂ Agonist	
Betamethasone and Clotrimazole	2	Albuterol	2
Clotrimazole (Topical)	3	Budesonide and Formoterol	3
Ketoconazole (Topical)	5	Fluticasone and Salmeterol	5
Naftifine	6	Levalbuterol	5
Nystatin and Triamcinolone	6	Salmeterol	7
Nystatin (Topical)	6	Beta-Adrenergic Blocker, Nonselective	
Tolnaftate	8	Propranolol	7
Antifungal Agent, Vaginal		Beta-Blocker, Beta-1 Selective	
Clotrimazole (Topical)	3	Atenolol	2
Nystatin (Topical)	6	Metoprolol	6
Terconazole	8	Beta-Blocker With Alpha-Blocking Activity	
Antigout Agent		Carvedilol	3
Allopurinol	2	Bisphosphonate Derivative	
Colchicine	3	Alendronate	2
Anti-inflammatory, Locally Applied		Calcineurin Inhibitor	
Carbamide Peroxide	3	Tacrolimus (Topical)	8
Antilipemic Agent, 2-Azetidinone		Calcium Channel Blocker	
Ezetimibe and Simvastatin	4	AmLODIPine	2
Antilipemic Agent, Fibric Acid		Amlodipine and Benazepril	2
Fenofibrate	4	Diltiazem	3
Gemfibrozil	5	NIFEdipine	6
Antilipemic Agent, HMG-CoA Reductase Inhibitor		Calcium Channel Blocker, Dihydropyridine	
AtorvaSTATin	2	AmLODIPine	2
Ezetimibe and Simvastatin	4	Amlodipine and Benazepril	2
Pravastatin	7	NIFEdipine	6
Simvastatin	7	Calcium Channel Blocker, Nondihydropyridine	
Antilipemic Agent, Miscellaneous		Diltiazem	3
Niacin	6	Calcium Salt	
Antimanic Agent		Calcium and Vitamin D	3
RisperiDONE	7	Central Nervous System Stimulant	
Antimigraine Agent		Dextroamphetamine and Amphetamine	3
Rizatriptan	7		

CONTRACEPTIVE

Contraceptive	
Ethinyl Estradiol and Desogestrel	4
Ethinyl Estradiol and Drospirenone	4
Ethinyl Estradiol and Ethynodiol Diacetate	4
Ethinyl Estradiol and Etonogestrel	4
Ethinyl Estradiol and Levonorgestrel	4
Ethinyl Estradiol and Norelgestromin	4
Ethinyl Estradiol and Norethindrone	4
Ethinyl Estradiol and Norgestimate	4
Ethinyl Estradiol and Norgestrel	4
Levonorgestrel	5
MedroxyPROGESTERone	6
Norethindrone	6
Corticosteroid, Inhalant (Oral)	
Budesonide and Formoterol	3
Fluticasone and Salmeterol	5
Fluticasone (Oral Inhalation)	5
Corticosteroid, Nasal	
Fluticasone (Nasal)	5
Mometasone (Nasal)	6
Corticosteroid, Ophthalmic	
Neomycin, Polymyxin B, and Hydrocortisone	6
Corticosteroid, Otic	
Ciprofloxacin and Dexamethasone	3
Neomycin, Polymyxin B, and Hydrocortisone	6
Corticosteroid, Rectal	
Hydrocortisone (Topical)	5
Corticosteroid, Systemic	
Betamethasone	2
MethylPREDNISolone	6
PredniSONE	7
Corticosteroid, Topical	
Betamethasone	2
Betamethasone and Clotrimazole	2
Clobetasol	3
Desonide	3
Fluocinonide	4
Hydrocortisone (Topical)	5
Neomycin, Polymyxin B, and Hydrocortisone	6
Nystatin and Triamcinolone	6
Triamcinolone (Topical)	8
Cough Preparation	
Guaifenesin and Dextromethorphan	5
Decongestant	
Oxymetazoline (Nasal)	7
Pseudoephedrine	7
Diuretic, Loop	
Furosemide	5
Diuretic, Potassium-Sparing	
Hydrochlorothiazide and Triamterene	5
Diuretic, Thiazide	
Hydrochlorothiazide	5
Hydrochlorothiazide and Triamterene	5
Lisinopril and Hydrochlorothiazide	6
Losartan and Hydrochlorothiazide	6
Telmisartan and Hydrochlorothiazide	8
Electrolyte Supplement, Oral	
Calcium and Vitamin D	3
Magnesium Oxide	6
Electrolyte Supplement, Parenteral	
Sodium Chloride	7
Estrogen and Progestin Combination	
Ethinyl Estradiol and Desogestrel	4
Ethinyl Estradiol and Drospirenone	4
Ethinyl Estradiol and Ethynodiol Diacetate	4
Ethinyl Estradiol and Etonogestrel	4
Ethinyl Estradiol and Levonorgestrel	4
Ethinyl Estradiol and Norelgestromin	4
Ethinyl Estradiol and Norethindrone	4
Ethinyl Estradiol and Norgestimate	4
Ethinyl Estradiol and Norgestrel	4
Estrogen Derivative	
Estrogens (Conjugated/Equine, Systemic)	4
Ethanolamine Derivative	
DiphenhydrAMINE (Systemic)	3
Expectorant	
Guaifenesin and Dextromethorphan	5
Guaifenesin and Pseudoephedrine	5
GABA Analog	
Gabapentin	5
Gastrointestinal Agent, Miscellaneous	
Sucralfate	7
Genitourinary Irrigant	
Sodium Chloride	7
Histamine H₁ Antagonist	
Cetirizine	3
Cyproheptadine	3
DiphenhydrAMINE (Systemic)	3
Fexofenadine	4
HydrOXYzine	5
Loratadine	6
Olopatadine (Ophthalmic)	6
Promethazine	7
Histamine H₁ Antagonist, First Generation	
Cyproheptadine	3
DiphenhydrAMINE (Systemic)	3
HydrOXYzine	5
Promethazine	7
Histamine H₁ Antagonist, Second Generation	
Cetirizine	3
Fexofenadine	4
Loratadine	6
Olopatadine (Ophthalmic)	6
Histamine H₂ Antagonist	
Ranitidine	7
Hypnotic, Miscellaneous	
Zolpidem	8
Hypoglycemic Agent, Oral	
Sitagliptin and Metformin	7
Imidazoline Derivative	
Oxymetazoline (Nasal)	7
Tetrahydrozoline (Ophthalmic)	8
Immunosuppressant Agent	
AzaTHIOprine	2
Tacrolimus (Topical)	8
Inhalation, Miscellaneous	
Inhalation Devices	5
Iron Salt	
Ferrous Sulfate	4
Irrigant	
Sodium Chloride	7
Keratolytic Agent	
Salicylic Acid	7
Laxative, Osmotic	
Polyethylene Glycol 3350	7
Laxative, Saline	
Magnesium Citrate	6
Leukotriene-Receptor Antagonist	
Montelukast	6
Local Anesthetic	
Benzocaine	2
Dibucaine	3
Lidocaine (Topical)	5
Lubricant, Ocular	
Sodium Chloride	7
Magnesium Salt	
Magnesium Citrate	6
Magnesium Oxide	6
Miscellaneous Product	
Diabetic Supplies	3
Nonsteroidal Anti-inflammatory Drug (NSAID)	
Diclofenac (Systemic)	3
Diclofenac (Topical)	3
Nonsteroidal Anti-inflammatory Drug (NSAID), Oral	
Diclofenac (Systemic)	3
Ibuprofen	5

Indomethacin	5	Sodium Salt	
Meloxicam	6	Sodium Chloride	7
Naproxen	6	Stool Softener	
Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral		Docusate	4
Ibuprofen	5	Substituted Benzimidazole	
Indomethacin	5	Esomeprazole	4
Nonsteroidal Anti-inflammatory Drug (NSAID), Topical		Omeprazole	6
Diclofenac (Topical)	3	Thyroid Product	
Norepinephrine Reuptake Inhibitor, Selective		Levothyroxine	5
AtoMOXetine	2	Topical Skin Product	
Nutritional Supplement		Acetic Acid	2
Fluoride	4	Benzoyl Peroxide	2
Ophthalmic Agent, Miscellaneous		Calamine	3
Artificial Tears	2	Capsaicin	3
Carboxymethylcellulose	3	Clindamycin and Benzoyl Peroxide	3
Ophthalmic Agent, Vasoconstrictor		Emollients	4
Tetrahydrozoline (Ophthalmic)	8	Imiquimod	5
Otic Agent, Analgesic		Lactic Acid and Ammonium Hydroxide	5
Antipyrine and Benzocaine	2	Methyl Salicylate and Menthol	6
Otic Agent, Anti-infective		Tacrolimus (Topical)	8
Acetic Acid	2	White Petrolatum	8
Otic Agent, Cerumenolytic		Zinc Oxide	8
Antipyrine and Benzocaine	2	Topical Skin Product, Acne	
Carbamide Peroxide	3	Benzoyl Peroxide	2
Pharmaceutical Aid		Clindamycin and Benzoyl Peroxide	3
White Petrolatum	8	Clindamycin (Topical)	3
Phenothiazine Derivative		Salicylic Acid	7
Promethazine	7	Tretinoin (Topical)	8
Phosphodiesterase-5 Enzyme Inhibitor		Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist	
Sildenafil	7	Capsaicin	3
Piperazine Derivative		Vitamin	
Cetirizine	3	Prenatal Vitamins	7
HydrOXYzine	5	Vitamin B Complex Combinations	8
Piperidine Derivative		Vitamin, Fat Soluble	
Cyproheptadine	3	Calcium and Vitamin D	3
Fexofenadine	4	Vitamin, Water Soluble	
Loratadine	6	Ascorbic Acid	2
Olopatadine (Ophthalmic)	6	Folic Acid	5
Progestin		Niacin	6
Levonorgestrel	5	Xanthine Oxidase Inhibitor	
MedroxyPROGESTERone	6	Allopurinol	2
Norethindrone	6		
Proton Pump Inhibitor			
Esomeprazole	4		
Omeprazole	6		
Respiratory Fluoroquinolone			
Levofloxacin (Systemic)	5		
Retinoic Acid Derivative			
Tretinoin (Topical)	8		
Salicylate			
Aspirin	2		
Methyl Salicylate and Menthol	6		
Selective 5-HT₃ Receptor Antagonist			
Ondansetron	7		
Serotonin 5-HT_{1B}, 1D Receptor Agonist			
Rizatriptan	7		
SUMATriptan	8		
ZOLMitriptan	8		
Skeletal Muscle Relaxant			
Carisoprodol	3		
Cyclobenzaprine	3		
Methocarbamol	6		
Skin and Mucous Membrane Agent			
Imiquimod	5		
Skin and Mucous Membrane Agent, Miscellaneous			
Emollients	4		
Smoking Cessation Aid			
BuPROPion	3		
Nicotine	6		

